

# 堆码试验报告

## Stacking Test Report

Client 委托方	Dongguan speed energy times digital technology Co., LTD 东莞市速能时代数码科技有限公司
Add. of Client 委托方地址	Room 301, Building 2, No. 36 Chunfeng Road, Longbeiling, Tangxia Town, Dongguan City, Guangdong Province 广东省东莞市塘厦镇龙背岭春风路 36 号 2 栋 301 室
Name of Package 包装件名称	Li-ion Battery 400820 3.7V 50mAh 0.185Wh 锂离子电池 400820 3.7V 50mAh 0.185Wh
Testing Laboratory 测试机构	Shenzhen NCT Testing Technology Co., Ltd. 深圳诺测检测技术有限公司 B2A101/B2A201/B2A202, Fuqiao 6th Area, Xintian, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道新田社区富桥六区 B2A101, B2A201, B2A202
Report No. 报告编号	NCT24029989XB1-5
Issued Date 发行日期	2024.07.29
Test Conclusion 测试结论: Shown in the Conclusion of test report. 见检测报告结论页.	

Tested by 主检人:

Leo Huang

Leo Huang

Inspected by 审核人:

Miya Li

Miya Li

Approved by 批准人:

Boris Lin

Boris Lin


Seal of NCT 报告单位 (盖章)

Issued Date: 2024.07.29

<b>Name of Package</b> 包装件名称	Li-ion Battery 400820 3.7V 50mAh 0.185Wh 锂离子电池 400820 3.7V 50mAh 0.185Wh		
<b>Manufacturer of package</b> 包装件生产企业	Dengzhou speed new energy technology Co., Ltd. 邓州市速能新能源科技有限公司		
<b>Manufacturer of packaging container</b> 包装容器生产企业	Shenzhen Yidayuan Paper Products Co., Ltd 深圳艺达源纸品有限公司		
<b>Detailed description of the package</b> 包装件详细说明	Corrugated carton 瓦楞纸箱 Size 尺寸: 370×320×130mm Carton thickness 纸箱厚度: 5mm Packaging auxiliaries 衬垫材料: Plastic blister disc 吸塑盘		
<b>Detailed description of the contents</b> 内装物详细说明	Product Name 产品名称: Li-ion Battery 锂离子电池 Model 型号: 400820 Basic parameters 基本参数: 3.7V, 50mAh, 0.185Wh Quantity 数量: 750PCS		
<b>Number of samples</b> 样品数量	3 packages /3 个包装件		
<b>Gross weight per package</b> 每包装件毛重	1.15kg	<b>Stacking height</b> 堆码高度	3.12m
<b>Total load</b> 加载的载荷	26.5kg	<b>Ambient Conditions of sample preparation</b> 样品预处理环境	环境温度: 23°C±2°C 相对湿度: 50%±2%
<b>Test method and criterion</b> 检测方法及判定标准	22 Revised Edition of the United Nations 《Recommendations on the Transport of Dangerous Goods, Model Regulations》 (ST/SG/AC.10/1/Rev.22 6.1.5.6). 联合国《关于危险货物运输的建议书 规章范本》第 22 版 6.1.5.6。		
<b>Test Item</b> 检测项目	Stacking Test 堆码试验		
<b>Test Result</b> 检测结果	After the 24h stacking test, batteries are not damaged, packages are not damaged, no leakage, no deformation. 包装件在经受 24h 堆码试验后, 电池未见受损、包装未见破损、未见泄漏、未见变形。		
<b>Conclusion</b> 检测结论	After testing, the package has passed the stacking test of 22 Revised Edition of the United Nations 《Recommendations on the Transport of Dangerous Goods, Model Regulations》 (ST/SG/AC.10/1/Rev.22 6.1.5.6). 经检测, 该包装件通过了联合国《关于危险货物运输的建议书 规章范本》第 22 版 6.1.5.6 的堆码试验。		
<b>Receiving Date</b> 接收日期	2024.07.27	<b>Completing Date</b> 完成日期	2024.07.29



Photos 照片



## 注意事项 Important Notice

1. The test report is invalid without the official stamp of NCT.  
本报告书无 NCT 盖章无效。
2. Nobody is allowed to photocopy or partly photocopy this test report without written permission of NCT.  
未经 NCT 书面同意，不得部分地复制本报告书。
3. The test report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.  
本报告书无批准人、审核人、及主检人签名无效。
4. The report is invalid when anything of following happens – illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.  
私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
5. Objections to the test report must be submitted to NCT within 15 days.  
对报告书若有异议，应于收到报告之日起 15 天内向本公司提出。
6. The test report is valid for the tested samples only.  
本报告仅对测试样品有效。
7. The Chinese contents in this report are only for reference.  
本报告中的中文内容仅供参考。

**\*\*\*\*\*End of Report 报告结束\*\*\*\*\***